



THE CONSERVATION STANDARD
HERITAGE LAMP RANGE



Charter

LIGHTING

Lighting our Heritage with Care



CONSERVATION STANDARD LIGHTING



At Charter Lighting, we have worked closely with the managers and owners of fine historic properties, as well as specialist consultants in the field, to assist us in the selection of this carefully-tailored and quality-assured range of contemporary LED lamps.

- **Maximum energy savings**
- **Genuinely long life - guaranteed**

Our objective has been to deliver no-surprises lighting that matches the appearance and timbre of traditional lamps – whilst offering all the advantages of today's improved technology.

- **Instant full-on illumination**
- **Complete dimmability**

All our lamps have been tested for white light tonality (known also as Colour Rendering, or CRI) and energy-efficiency, as well as durability, to ensure they meet our exacting Conservation Standard Lighting criteria.

- **Highest quality CRI**
- **No damage from UV or heat.**





Lighting our Heritage with Care



Charter

LIGHTING



Our range of interior lamps provide simple, direct swaps for their traditional counterparts and come in an appropriate range of base types to suit all fixtures – from chandeliers and wall sconce's to standard lamps and picture lights.



THE CONSERVATION STANDARD

HERITAGE LAMP RANGE




The Purity Miniature Candle

At last, a dimmable LED version of this widely-used candle lamp is now available. Having all the advantages of the glowing straight filament these efficient, high-quality new lamps replace traditional short-lived tiny candle lamps in hard-to-reach places where variable light levels are desirable.



Technical Information

- o 1.5 Watts replaces 15W
- o Mains Dimmable
- o 220-240V input voltage
- o 15,000 hour life
- o High CRI of 90+
- o Clear finish
- o Warm White (2,600°K)
- o Fully Certified to CSL
- o 90 Lumen output
- o Full 3-Year Warranty



MES/E10



The Purity Low- Intensity Candle

With its unique criss-cross glowing filaments, the light that emanates from these classical-looking candle lamps is smooth in contour and rich in tone.


This 2.7W version is especially useful for areas without dimming control.




Technical Information

- o 2.7 Watts replaces 25W
- o Mains Dimmable
- o 220-240V input voltage
- o 20,000 hour life
- o High CRI of 93+
- o Clear finish
- o Warm White (2,600°K)
- o Universal Application
- o Fully Certified to CSL
- o 230 Lumen output
- o Full 3-Year Warranty


*Other variants available




SBC/B15



BC/B22



SES/E14



ES/E27



The Purity Standard Candle


With its unique criss-cross glowing filaments, the light that emanates from these classical-looking candle lamps is smooth in contour and rich in tone.




Technical Information

- o 4 Watts replaces 40W
- o Mains Dimmable
- o 220-240V input voltage
- o 20,000 hour life
- o High CRI of 93+
- o Clear finish
- o Warm White (2,600°K)*
- o Universal Application
- o Fully Certified to CSL
- o 350 Lumen output
- o Full 3-Year Warranty


*Other variants available




SBC/B15



BC/B22



SES/E14



ES/E27



The Purity Miniglobe

Giving a clear, clean light with universal emission, this is the perfect contemporary lamp for use in classical shaded sconces and chandeliers.


The frosted lamp is preferable for shaded table lamps and occasional lamp stands as it delivers a soft, homogeneous light distribution.




Technical Information

- o 4 Watts replaces 40W
- o Mains Dimmable
- o 220-240V input voltage
- o 50,000 hour life
- o High CRI of 85+
- o Clear / Frosted finish
- o Surge-Protected
- o Warm White (2,700°K)*
- o Universal Application
- o Fully Certified to CSL
- o 380 Lumen output
- o Full 3-Year Warranty


*Other variants available




SBC/B15



BC/B22



SES/E14



ES/E27



The Purity Standard Lamp


This traditional-looking lamp features the criss-cross array of glowing filaments that is unique to the Range.

Exceptionally energy-efficient and fully dimmable, the light distribution is uniform and well-blended, as well as being rich in colour tone.




Technical Information

- o 6 Watts replaces 60W GLS
- o Mains Dimmable
- o 220-240V input voltage
- o 15,000 hour life
- o High CRI of 93+
- o Clear finish
- o Warm White (2,700°K)
- o Universal Application
- o Fully Certified to CSL
- o 806 Lumen output
- o Full 3-Year Warranty



BC/B22



ES/E27



The Purity Spotlight

Delivering a warm, halogen-like accent beam. This 97 CRI spot is perfect for all spotlighting applications.

Familiar in appearance & of direct fixture compatibility with traditional halogen spots – either MR16 or GU10 – with dramatically reduced energy consumption. Suitable for use with all industry-standard dimming protocols.



Technical Information

- o 5 Watts replaces 50W halogen
- o Mains Dimmable
- o 220-240V input voltage
- o 25,000 hour life
- o Excellent CRI of 97+
- o Warm White (2700°K)
- o Beam angle 36°
- o Fully Certified to CSL
- o 345 Lumen output
- o Full 3-Year Warranty



*Other variants available



The ARTPro Picture Lamp


This unique lamp has been specially developed to provide the simplest and best contemporary alternative for use in standard picture lights, and provides complete dimming control.

The fully spectrum-saturated CRI brings true rendition to paint colours and, with no UV or heat, optimum levels of conservation are assured.



Technical Information

- o 4.7 / 5.5 Watts replaces 30W/60W
- o Mains Dimmable
- o 220-240V input voltage
- o 40,000 hour life
- o Exceptional CRI of 97+
- o Light Opal Finish
- o Warm White (2,700°K)
- o Fully Certified to CSL
- o 380 / 520 Lumen output
- o Full 3-Year Warranty
- o 25mm Diameter
- o 221mm / 284mm Length



S15



The Purity Floodlight

This exceptional range of energy-efficient external floodlights features excellent thermal management via unique heat-dissipating fins to maintain longevity. The lens design ensures efficient light direction and dispersal delivering smooth, uniform illumination. Optional PIR activation can also bring extra security to selected exterior access routes to your property.



Technical Information

- o 120Lm/W
- o 30-150W Output*
- o Fully Dimmable
- o 220-240V input voltage
- o 50,000 hour life
- o High CRI of 85+
- o Temp. Range -20 - +40 °C
- o Cast Aluminium Housing
- o PIR activation available
- o Fully Certified to CSL
- o Full 5-Year Warranty

*30W; 50W; 80W; 100W & 150W versions available





Lighting our Heritage with Care

www.charterlighting.com | enquiries@charterlighting.com |
+44 (0)20 3051 7150